ABSTRACT OF THE DISCLOSURE

A method of fabricating a color filter in a liquid crystal display device includes providing a plurality of clichés in which grooves are formed, filling color inks and a black resin in the grooves of the clichés, applying the color inks in the clichés onto a substrate to form a color filter, and applying a black resin in one of the clichés onto the color filter. The color inks and black resin are transferred to the clichés from an ink supply container via an ink supplying roller and from the clichés to the substrate via a printing roller.